WEST Search History

[Hide Items] [Restore] [Clear] [Cancel]

DATE: Monday, October 15, 2007

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L33	L28 and @ad<19990730	11
☐	L32	L28 and 715/1$.ccls.	0
☐	L31	6658624.pn.	2
☐	L30	L28 and 709/2$$.ccls.	7
☐	L29	L28 and 707/1$.ccls.	8
☐	L28	L26 and determin$ same pars$	12
☐	L27	L26 and parsable	0
☐	L26	L25 and @ad<20000731	12
☐	L25	L24 and (identif$4 same object$)	16
☐	L24	L20 and (pars$4 or collect$4) same list$ same (universal resource locator or url) and information adj4 content	21
☐	L23	6516337.pn.	2
☐	L22	L21 and audio and video and stream	20
☐	L21	L20 and (pars$4 or collect$4) same list$ same (universal resource locator or url)	59
☐	L20	rating adj3 user and L1	63
☐	L19	rating adj3 level and L1	1
☐	L18	rating adj3 level same user and (pars$4 or collect$4) same list$ same (universal resource locator or url)	1
☐	L17	L16 and audio and video	2
☐	L16	rat$4 adj3 level same user and L1	5
☐	L15	rat$4 and L13	0
☐	L14	L13 and audio	0
☐	L13	5907680.pn.	2
☐	L12	(pars$4 or collect$4) same list$ same (universal resource locator or url) same user and dictionary and (email or e-mail or electronic mail) and browser$ and (detect$4 or control$4) and audio	48
☐	L11	(pars$4 or collect$4) same list$ same (universal resource locator or url) same user and dictionary and (email or e-mail or electronic mail) and browser$ and (detect$4 or control$4) and (709/206).ccls.	4
☐	L10	(pars$4 or collect$4) same list$ same url same user and dictionary and (email or e-mail or electronic mail) and browser$ and (detect$4 or control$4) and (709/206).ccls.	4

☐	L9	(pars$4 or collect$4) same list$ same url same user and dictionary and (email or e-mail or electronic mail) and browser$ and (detect$4 or control$4) and 709/2$$.ccls.	20
☐	L8	pars$4 same list$ same url same user and dictionary and (email or e-mail or electronic mail) and browser$ and (detect$4 or control$4) and 709/2$$.ccls.	17
☐	L7	L3 and (email or e-mail or electronic mail) and browser$ and (detect$4 or control$4) and 709/2$$.ccls.	18
☐	L6	L3 and (email or e-mail or electronic mail) and browser$ and (detect$4 or control$4)	18
☐	L5	L3 and (email or e-mail or electronic mail)	18
☐	L4	L2 and (email or e-mail or electronic mail)	64
		DB=PGPB,USPT,USOC; PLUR=YES; OP=ADJ	
☐	L3	L2 and 709/2$$.ccls.	19
☐	L2	pars$4 same (document or list) same url same user and dictionary	90
☐	L1	pars$4 same (document or list) same url	1422

END OF SEARCH HISTORY

P⊛RTAL

USPTO

Search: ⊙ The ACM Digital Library   ◯ The Guide

parsing and display and document and address and parsable a   SEARCH

THE ACM DIGITAL LIBRARY

❦ Feedback Report a problem Satisfaction survey

Terms used:
parsing and **display** and **document** and **address** and **parsable** and **address** and **client** and **server**

Found
81,657 of
212,128

Sort results by   relevance

Display results   expanded form

❧ Save results to a Binder

[?] Search Tips

☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 20 of 200   Result page: **1** 2 3 4 5 6 7 8 9 10   next
Best 200 shown   Relevance scale ☐ ☐ ◾ ◾ ◾

1 Fast detection of communication patterns in distributed executions   ◼
Thomas Kunz, Michiel F. H. Seuren
November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research CASCON '97**
Publisher: IBM Press
Full text available: 🗎 pdf(4.21 MB)   Additional Information: full citation, abstract, references, index terms

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 Computing curricula 2001   ◼
September 2001 **Journal on Educational Resources in Computing (JERIC)**
Publisher: ACM Press
Full text available: 🗎 pdf(613.63 KB)
🗎 html(2.78 KB)   Additional Information: full citation, references, citings, index terms

3 Query processing in a multimedia document system   ◼
Elisa Bertino, Fausto Rabbiti, Simon Gibbs
January 1988 **ACM Transactions on Information Systems (TOIS)**, Volume 6 Issue 1
Publisher: ACM Press
Full text available: 🗎 pdf(2.94 MB)   Additional Information: full citation, abstract, references, citings, index terms, review

Query processing in a multimedia document system is described. Multimedia documents are information objects containing formatted data, text, image, graphics, and voice. The query language is based on a conceptual document model that allows the users to formulate queries on both document content and structure. The architecture of the system is outlined, with focus on the storage organization in which both optical and magnetic devices can coexist. Query processing and the different strategies ...

4 A structural view of the Cedar programming environment

Daniel C. Swinehart, Polle T. Zellweger, Richard J. Beach, Robert B. Hagmann
August 1986 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,
Volume 8 Issue 4
Publisher: ACM Press

Full text available: pdf(6.32 MB)   Additional Information: full citation, abstract, references, citings, index terms

This paper presents an overview of the Cedar programming environment, focusing on its overall structure—that is, the major components of Cedar and the way they are organized. Cedar supports the development of programs written in a single programming language, also called Cedar. Its primary purpose is to increase the productivity of programmers whose activities include experimental programming and the development of prototype software systems for a high-performance personal computer. T ...

5 The state of the art in locally distributed Web-server systems

Valeria Cardellini, Emiliano Casalicchio, Michele Colajanni, Philip S. Yu
June 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 2
Publisher: ACM Press

Full text available: pdf(1.41 MB)   Additional Information: full citation, abstract, references, citings, index terms

The overall increase in traffic on the World Wide Web is augmenting user-perceived response times from popular Web sites, especially in conjunction with special events. System platforms that do not replicate information content cannot provide the needed scalability to handle large traffic volumes and to match rapid and dramatic changes in the number of clients. The need to improve the performance of Web-based services has produced a variety of novel content delivery architectures. This article w ...

Keywords: Client/server, World Wide Web, cluster-based architectures, dispatching algorithms, distributed systems, load balancing, routing mechanisms

6 Papers: On the move: From desktop to phonetop: a UI for web interaction on very small devices

Jonathan Trevor, David M. Hilbert, Bill N. Schilit, Tzu Khiau Koh
November 2001 **Proceedings of the 14th annual ACM symposium on User interface software and technology UIST '01**
Publisher: ACM Press

Full text available: pdf(1.34 MB)   Additional Information: full citation, abstract, references, citings, index terms

While it is generally accepted that new Internet terminals should leverage the installed base of Web content and services, the differences between desktop computers and very small devices makes this challenging. Indeed, the browser interaction model has evolved on desktop computers having a unique combination of user interface (large display, keyboard, pointing device), hardware, and networking capabilities. In contrast, Internet enabled cell phones, typically with 3-10 lines of text, sacrifice ...

Keywords: PDA, Web browsing, transcoding, transducing, web phone, wireless web

7 An embedded domain-specific language for type-safe server-side web scripting

Peter Thiemann
February 2005 **ACM Transactions on Internet Technology (TOIT)**, Volume 5 Issue 1
Publisher: ACM Press

Additional Information: full citation, abstract, references, index terms,

Full text available: pdf(336.60 KB)   review

WASH/CGI is an embedded domain-specific language for server-side Web scripting. Due to its reliance on the strongly typed, purely functional programming language Haskell as a host language, it is highly flexible and---at the same time---it provides extensive guarantees due to its pervasive use of type information.WASH/CGI can be structured into a number of sublanguages addressing different aspects of the application. The *document sublanguage* provides tools for the generation of parameteri ...

Keywords: Interactive Web services, Web programming

8 Practical hypertext (1): Experiments toward reverse linking on the web

Yeliz Yesilada, Darren Lunn, Simon Harper
September 2007 **Proceedings of the 18th conference on Hypertext and hypermedia HT '07**
Publisher: ACM Press
Full text available: pdf(874.47 KB)   Additional Information: full citation, abstract, references, index terms

Multi-headed reverse linking (incoming links) is a fundamental concept of Open Hypermedia Systems. However, this bi-directionality has been lost in the move to the World Wide Web (Web). Here, we suggest a Web based solution for rediscovering these reverse links, and develop a series of experiments to demonstrate our approach. Simply our algorithm involves parsing a Web server's log file, identifying each Web page viewed and saving an ordered list of referrers within a 'name-matched' XML file. ...

Keywords: bi-directional Linking, hypertext, inbound links, world wide web

9 BrowserShield: Vulnerability-driven filtering of dynamic HTML

Charles Reis, John Dunagan, Helen J. Wang, Opher Dubrovsky, Saher Esmeir
September 2007 **ACM Transactions on the Web (TWEB)**, Volume 1 Issue 3
Publisher: ACM Press
Full text available: pdf(385.02 KB)   Additional Information: full citation, abstract, references, index terms

Vulnerability-driven filtering of network data can offer a fast and easy-to-deploy alternative or intermediary to software patching, as exemplified in Shield [Wang et al. 2004]. In this article, we take Shield's vision to a new domain, inspecting and cleansing not just static content, but also dynamic content. The dynamic content we target is the dynamic HTML in Web pages, which have become a popular vector for attacks. The key challenge in filtering dynamic HTML is that it is undecidable to ...

Keywords: JavaScript, Web browser, code rewriting, vulnerability

10 The <bigwig> project

Claus Brabrand, Anders Møller, Michael I. Schwartzbach
May 2002 **ACM Transactions on Internet Technology (TOIT)**, Volume 2 Issue 2
Publisher: ACM Press
Full text available: pdf(586.33 KB)   Additional Information: full citation, abstract, references, citings, index terms

We present the results of the <bigwig> project, which aims to design and implement a high-level domain-specific language for programming interactive Web services.

A fundamental aspect of the development of the World Wide Web during the last decade is the gradual change from static to dynamic generation of Web pages. Generating Web

pages dynamically in dialog with the client has the advantage of providing up-to-date and tailor-made information. The development of systems ...

Keywords: Interactive Web services, program analysis

11 Special issue: AI in engineering

D. Sriram, R. Joobbani
April 1985 **ACM SIGART Bulletin**, Issue 92
Publisher: ACM Press
Full text available: pdf(8.79 MB)   Additional Information: full citation, abstract

The papers in this special issue were compiled from responses to the announcement in the July 1984 issue of the SIGART newsletter and notices posted over the ARPAnet. The interest being shown in this area is reflected in the sixty papers received from over six countries. About half the papers were received over the computer network.

12 Model-driven development of Web applications: the AutoWeb system

Piero Fraternali, Paolo Paolini
October 2000 **ACM Transactions on Information Systems (TOIS)**, Volume 18 Issue 4
Publisher: ACM Press
Full text available: pdf(6.94 MB)   Additional Information: full citation, abstract, references, citings, index terms

This paper describes a methodology for the development of WWW applications and a tool environment specifically tailored for the methodology. The methodology and the development environment are based upon models and techniques already used in the hypermedia, information systems, and software engineering fields, adapted and blended in an original mix. The foundation of the proposal is the conceptual design of WWW applications, using HDM-lite, a notation for the specification of structure, nav ...

Keywords: HTML, WWW, application, development, intranet, modeling

13 m-links: An infrastructure for very small internet devices

Bill N. Schilit, Jonathan Trevor, David M. Hilbert, Tzu Khiau Koh
July 2001 **Proceedings of the 7th annual international conference on Mobile computing and networking MobiCom '01**
Publisher: ACM Press
Full text available: pdf(680.78 KB)   Additional Information: full citation, abstract, references, citings, index terms

In this paper we describe the Mobile Link (m-Links) infrastructure for utilizing existing World Wide Web content and services on wireless phones and other very small Internet terminals. Very small devices, typically with 3-20 lines of text, provide portability and other functionality while sacrificing usability as Internet terminals. In order to provide access on such limited hardware we propose a small device web navigation model that is more appropriate than the desktop computer's web brows ...

Keywords: middleware, proxy, web phones, wireless, wireless web

14 Spoken dialogue technology: enabling the conversational user interface

Michael F. McTear
March 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 1
Publisher: ACM Press

Full text available: pdf(987.69 KB)   Additional Information: full citation, abstract, references, citings, index terms, review

Spoken dialogue systems allow users to interact with computer-based applications such as databases and expert systems by using natural spoken language. The origins of spoken dialogue systems can be traced back to Artificial Intelligence research in the 1950s concerned with developing conversational interfaces. However, it is only within the last decade or so, with major advances in speech technology, that large-scale working systems have been developed and, in some cases, introduced into commerc ...

Keywords: Dialogue management, human computer interaction, language generation, language understanding, speech recognition, speech synthesis

15 An information system based on distributed objects

Michael Caplinger

December 1987 **ACM SIGPLAN Notices , Conference proceedings on Object-oriented programming systems, languages and applications OOPSLA '87**, Volume 22 Issue 12

Publisher: ACM Press

Full text available: pdf(1.33 MB)   Additional Information: full citation, abstract, references, citings, index terms

The Telesophy system is intended to provide transparent access to all of a community's online information. The scale of the system requires that it be distributed across many machines via a network; the multiple types and formats of the information require that it be a multimedia system. We describe a prototype that uses objects to represent, query, display, and edit information. A two-level storage system is used to store the objects on multiple servers; queries are proces ...

16 Smalltalk-80: the language and its implementation

Adele Goldberg, David Robson

January 1983 Book

Publisher: Addison-Wesley Longman Publishing Co., Inc.

Full text available: pdf(33.56 MB)   Additional Information: full citation, abstract, cited by, index terms, review

From the Preface (See Front Matter for full Preface)

Advances in the design and production of computer hardware have brought many more people into direct contact with computers. Similar advances in the design and production of computer software are required in order that this increased contact be as rewarding as possible. The Smalltalk-80 system is a result of a decade of research into creating computer software that is appropriate for producing highly functional and interactive ...

17 Supporting industrial hyperwebs: lessons in scalability

Kenneth M. Anderson

May 1999 **Proceedings of the 21st international conference on Software engineering ICSE '99**

Publisher: IEEE Computer Society Press

Full text available: pdf(1.47 MB)   Additional Information: full citation, references, citings, index terms

Keywords: open hypermedia systems, scalability, software engineering

18
Highly personalized information delivery to mobile clients

Bahattin Ozen, Ozgur Kilic, Mehmet Altinel, Asuman Dogac
May 2001 **Proceedings of the 2nd ACM international workshop on Data engineering for wireless and mobile access MobiDe '01**
Publisher: ACM Press

Full text available: pdf(218.98 KB)   Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index terms</u>

The inherent limitations of mobile devices necessitate information to be delivered to mobile clients to be highly personalized according to their profiles. This information may be coming from a variety of resources like Web servers, company intranets, email servers. A critical issue for such systems is scalability, that is, the performance of the system should be in acceptable limits when the number of users increases dramatically. Another important issue is being able to express highly perso ...

Keywords: XML, XML-QL, mobile E-commerce, personalization

19 <u>Robust multilingual parsing using island grammars</u>
Nikita Synytskyy, James R. Cordy, Thomas R. Dean
October 2003 **Proceedings of the 2003 conference of the Centre for Advanced Studies on Collaborative research CASCON '03**
Publisher: IBM Press

Full text available: pdf(128.39 KB)   Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index terms</u>

Any attempt at automated software analysis or modification must be preceded by a comprehension step, i.e. parsing. This task, while often considered straightforward, can in fact be very challenging for some source code. Files that make up web applications serve as an example of such difficult-to-parse artifacts, for two reasons. First, these files often contain several programming languages at once, sometimes with widely varying syntaxes, and intermingled at the statement level. Second, the code ...

20 <u>Document authoring, markup and manipulation 2: Towards active web clients</u>
Vincent Quint, Iréne Vatton
November 2005 **Proceedings of the 2005 ACM symposium on Document engineering DocEng '05**
Publisher: ACM Press

Full text available: pdf(382.45 KB)   Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>index terms</u>

Recent developments of document technologies have strongly impacted the evolution of Web clients over the last fifteen years, but all Web clients have not taken the same advantage of this advance. In particular, mainstream tools have put the emphasis on accessing existing documents to the detriment of a more cooperative usage of the Web. However, in the early days, Web users were able to go beyond browsing and to get more actively involved. This paper presents the main features needed to make We ...

Keywords: XML documents, authoring, compound documents, style languages, web user agent

Results 1 - 20 of 200   Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   <u>next</u>

saigon98@gmail.com | Web History | My Account | Sign out

Google

parsing and display and document and addres | Search | Advanced Search
Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. Details

Web Results 1 - **10** of about **18,600** for **parsing** and **display** and **document** and **address** and **parsable** and **ac**

[PDF] OCRed **document**
seriously **address** the issue of user interface. .... tributed, **client/server** architecture that
shares .... **server** searching for a **parsable** hypothesis. If ...
ieeexplore.ieee.org/iel3/64/9747/00464929.pdf?arnumber=464929 -
Similar pages - Note this

NETWORK **CLIENT** ACCEPTS AND PROCESSES REPLACEABLE **DOCUMENT** TYPE ...
The network **client** according to claim 1, wherein said grammar defines a well-formed
document parsable by said **parsing** component. ...
www.freepatentsonline.com/20020032709.html - 46k - Cached - Similar pages - Note this

Method and system for processing **documents** controlled by active ...
One advantage of active **documents** and the agency system is that **client and server-**
specific software need only **address** low-level functions, as higher level ...
www.freepatentsonline.com/6658624.html - 70k - Cached - Similar pages - Note this
[More results from www.freepatentsonline.com]

Shaping the future of secure Ajax mashups
The **server** makes requests to each content source, **parses** the information it .... Several
outstanding proposals are available to help **address** this quandary: ...
www-128.ibm.com/developerworks/library/x-securemashups/ - 58k -
Cached - Similar pages - Note this

RFC 1736 - Functional Recommendations for Internet Resource Locators
Resource naming standards **address** the problem of invalid locators. ... kind of locator may
still be **parsable** even if a given interpreter cannot **parse** it. ...
www.packetizer.com/rfc/rfc1736 - 25k - Cached - Similar pages - Note this

Shaping the future of secure Ajax mashups
Several outstanding proposals are available to help **address** this quandary: ... February
2001) and Sending rich messages between **client and server** using ...
www.ibm.com/developerworks/xml/library/x-securemashups/index.html - 58k -
Cached - Similar pages - Note this

SMS_SERV(1) manual page
sms_serv implements a **client / server** gateway to the SMS protocol, ... The email **address**
of the administrator can be configured through the -b option. ...
smslink.sourceforge.net/docs/sms_serv.1.html - 25k - Cached - Similar pages - Note this

Web **Server--Server**-side Include Command Reference (print version)
Use the following #CONFIG commands in a **parsable** HTML **document** to specify how ....
REMOTE_ADDR: IP **address** of the web browser in dotted decimal form . ...
maine.edu/VM:Webgateway/HELP/print/prtssi.html - 41k -
Cached - Similar pages - Note this

Navigating the Information Superhighway Using Spoken Language ...
The **client and server** processes interact via a domain-independent .... human language as

an interface issue, one must also **address** language as content. ...
doi.ieeecomputersociety.org/10.1109/64.464929 - <u>Similar pages</u> - <u>Note this</u>

[PDF] **<u>Parsing</u> XML <u>Documents</u> with XML::LibXML and XML::SAX**
when both creating XML **documents** and **parsing** XML **documents**, ... URI is a separate
entity from the Web **address** and may be completely different. ...
www.springerlink.com/index/r1g4qw2623478qv7.pdf - <u>Similar pages</u> - <u>Note this</u>

1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> **Next**

Try <u>Google Desktop</u>: search your computer as easily as you search the web.

---

parsing and display and document a | Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

©2007 Google - <u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

IEEE Xplore®
RELEASE 2.4

Welcome United States Patent and Trademark Office

⬜ **Guest Search Results**   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for **"(parsing and display and document and address and address) <in> metadata"**   ☑e-mail
Your search matched **0** of **1675827** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

Login
Username

Password   »

» **Forgot your password?**

Please remember to log out
when you have finished your
session.

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan
search.

» **Key**

▦   Indicates full text access

IEEE JNL   IEEE Journal or
             Magazine

**IET JNL**   IET Journal or Magazine

IEEE CNF   IEEE Conference
             Proceeding

IET CNF   IET Conference
             Proceeding

IEEE STD   IEEE Standard

Help   Contact Us   Privacy & :

Indexed by
▦ **Inspec**®

IEEE Xplore®
RELEASE 2.4

Welcome United States Patent and Trademark Office

☐ **Guest Search Results**   **BROWSE**   **SEARCH**   **IEEE XPLORE GUIDE**

Results for **"(parsing and display and address) <in> metadata"**   ☑ e-mail
Your search matched **4** of **1675827** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

Login
Username

Password   [»]

» Forgot your password?

Please remember to log out
when you have finished your
session.

» Key

🖹   Indicates full text access

IEEE JNL   IEEE Journal or
Magazine

IET JNL   IET Journal or Magazine

IEEE CNF   IEEE Conference
Proceeding

IET CNF   IET Conference
Proceeding

IEEE STD   IEEE Standard

Article Information

1. **Mobile phone GIS based on mobile SVG**
   Wu Binzhuo; Xia Bin;
   Geoscience and Remote Sensing Symposium, 2005. IGARSS '05. Proceedings. 2005 International
   Volume 2, 25-29 July 2005 Page(s):4 pp.
   Digital Object Identifier 10.1109/IGARSS.2005.1525253

   Abstract | Full Text: PDF(174 KB)   **IEEE CNF**
   Rights and Permissions

2. **Principled animation of artificial intelligence algorithms**
   Perlin, M.;
   Tools with Artificial Intelligence, 1993. TAI '93. Proceedings. Fifth International Confere
   8-11 Nov. 1993 Page(s):78 - 86
   Digital Object Identifier 10.1109/TAI.1993.633939

   Abstract | Full Text: PDF(832 KB)   **IEEE CNF**
   Rights and Permissions

3. **A behavioral layer architecture for telecollaborative virtual manufacturing operat**
   Banerjee, A.; Banerjee, P.; DeFanti, T.; Hudson, A.; Dodds, B.; Curtis, J.R.;
   Robotics and Automation, IEEE Transactions on
   Volume 16, Issue 3, June 2000 Page(s):218 - 227
   Digital Object Identifier 10.1109/70.850640

   Abstract | Full Text: PDF(264 KB)   **IEEE JNL**
   Rights and Permissions

4. **Metadata management and the VISTA system**
   Dombrowski, E.G.; Snyder, W.A.; Heckathorn, H.M.;
   System Sciences, 1994. Vol.III: Information Systems: Decision Support and Knowledg
   Systems, Proceedings of the Twenty-Seventh Hawaii International Conference on
   Volume 3, 4-7 Jan. 1994 Page(s):418 - 427
   Digital Object Identifier 10.1109/HICSS.1994.323330

   Abstract | Full Text: PDF(824 KB)   **IEEE CNF**
   Rights and Permissions

Help   Contact Us   Privacy & :

Indexed by
🖹 Inspec®